

MOVABLE SILENCE BOOTH

BRADAGH  INTERIORS



PRODUCT
INTRODUCTION

Multi Purpose

Our mobile soundproof rooms are suitable for a variety of purposes and can meet the needs of different customers.

Integrity Management


Each soundproof room is composed of high-strength aluminium profiles, soundproof glass, polyester fiber sound absorbing panels and environmentally friendly plywood.

Ingenious Creation

Designed and manufactured using professional mechanics Solidworks engineering software, easy to install and reliable in structure.

Bradagh Interiors Ltd

Unit 6, 414a Ballyquin Road, Dungiven, Northern Ireland, UK, BT47 4NQ
www.bradagh.co.uk hello@bradagh.co.uk +44(0) 28 7727 8902



Main material


High-strength aluminum profile




Sound insulation glass



Polyester fiber
sound-absorbing board



Environmental protection plywood



DETAILS

TIPS



SOUNDPROOF




VENTILATED



LIGHTING



100-240V POWER



SOUNDPROOF&SOUND INSULATION

The wall of the soundproof room is composed of sound-absorbing cotton + environmentally friendly plywood (hollow structure) and 10mm thick soundproof tempered glass. The sound insulation and noise reduction index meets the design expectations.




VENTILATED

Each soundproof room is designed with a labyrinth-type low-noise fresh air system composed of ultra-thin + ultra-quiet fresh air exhaust fan + PD principle long-path sound-proof air circulation duct, and it only needs to be turned on for 3-5 minutes to update the indoor air. Large-size soundproof rooms can be equipped with air-conditioning.



LIGHTING

The cabin is equipped with 3000K-6000k three-color temperature adjustable LED ceiling lights, which can basically meet the needs of cabin lighting.



100-240V POWER

Every Booth is equipped with 100-240V/50-60Hz and 12V-USB power supply system, which can easily meet the use of mainstream electrical appliances in life.

DETAILS

Air filter

Each booth is equipped with a double-effect composite filter, which can be made of nano multifunctional primary filter layer+HEPA+composite carbon-attached layer, effectively filtering PM2.5, formaldehyde, toluene, TVOC and other pollutants.

Acoustic interior


The interiors are composed of polyester fiberboard with sound absorption, environmental protection, flame retardancy, decoration and easy processing. The thickness of the conventional sound-absorbing board is 9mm, and the thickness can be adjusted according to the needs of noise reduction.

Sound insulation glass

The glass of each soundproof room is assembled by 3C-certified 10mm thick single-layer tempered glass. In order to increase safety, engineers put an explosion-proof film on each piece of glass. (Glass types can be customized according to requirements)

Steel universal wheel

In order to facilitate the movement, each soundproof room is equipped with steel universal wheels, which can steer freely without pressure. At the same time, a steel foot cup is arranged next to each wheel to prevent the soundproof room from moving when it is stationary.



DETAILS

Furniture Selection

In order to save your time, Bradagh designers have preset furnishings for different usage scenarios according to different specifications of soundproof rooms for your reference.

Safety power strip



Each soundproof room is equipped with a dual-control switch, a 16A five-hole socket with USB port and a single-port network cable socket. (Customers can change the socket to the international type 86 five-hole USB 13A British socket two or three plug with switch panel)

Anti-wear exterior

The sound-proof board finishes of the sound-proof room are environmentally friendly, wear-resistant, anti-pollution, fire-proof and moisture-proof. The color can be changed according to customer needs.

Glass decoration

Bradagh soundproof room pays attention to quality and strives for perfection in every detail. The designer has beautified every glass edge that has passed the 3C certification, and the overall image of the product has been significantly improved.



DIMENSIONS



(EXTERIOR)
1000w x 900d x 2348.5h

(PACKAGED)
2230w x 850d x 1200h

(INTERIOR)
870w x 866d x 2128h

(GROSS WEIGHT)
300 kgs

(SPACE)
1.60 m³

(NET WEIGHT)
255 kgs


(FLOOR AREA)
0.9 m²

(WORK SURFACE)
750w x 320d
1050mm

(UNIT):mm

(EXTERIOR Dimensions):

(INTERIOR Dimensions):



DIMENSIONS



(EXTERIOR)
1500w x 1250d x 2300h

(INTERIOR)
1372w x 1206d x 2114h

(SPACE)
3.52 m³

(FLOOR AREA)
1.86 m²

(PACKAGED)
2300w x 1200d x 1450h


(GROSS WEIGHT)
470 kgs

(NET WEIGHT)
380 kgs

(UNIT):mm

(EXTERIOR Dimensions):

(INTERIOR Dimensions):



DIMENSIONS



1500w x 1800d x 2348.5h

1372w x 1756d x 2128h

(SPACE)

5.12 m³

(FLOOR AREA)

2.70 m²

1700w x 2000d x 2460h

(GROSS WEIGHT)

550 kgs


(NET WEIGHT)

490 kgs

(UNIT):mm

EXTERIOR Dimensions):

INTERIOR Dimensions):



DIMENSIONS



(EXTERIOR)
1800w x 1500d x 2348.5h

(INTERIOR)
1670w x 1456d x 2128h

(SPACE)
5.17 m³

(FLOOR AREA)
2.7 m²

(PACKAGED)
2000w x 1650d x 2460h


(GROSS WEIGHT)
550 kgs

(NET WEIGHT)
490 kgs

(UNIT):mm

(EXTERIOR Dimensions): 

(INTERIOR Dimensions): 



DIMENSIONS



(EXTERIOR)
2200w x 1500d x 2348.5h

(INTERIOR)
2070w x 1456d x 2128h


(SPACE)
6.41 m³

(FLOOR AREA)
3.3 m²

(PACKAGED)
2350w x 1700d x 1500h

(GROSS WEIGHT)
670 kgs

(NET WEIGHT)
520 kgs



(UNIT):mm

(EXTERIOR Dimensions):

(INTERIOR Dimensions):

DIMENSIONS



(EXTERIOR)
2200w x 2100d x 2348.5h

(PACKAGED)
2350w x 1300d x 1700h

(INTERIOR)
2070w x 2056d x 2128h

(GROSS WEIGHT)
750 kgs

(SPACE)
9.06 m²


(NET WEIGHT)
580 kgs

(FLOOR AREA)
4.62 m²

(UNIT):mm

(EXTERIOR Dimensions):

(INTERIOR Dimensions):



DIMENSIONS



(EXTERIOR)
3000w x 2100d x 2348.5h

(PACKAGED)
3150w x 2250d x 2460h


(INTERIOR)
2872w x 2013d x 2128h

(GROSS WEIGHT)
880 kgs

(SPACE)
15.65 m³

(NET WEIGHT)
700 kgs

(FLOOR AREA)
6.30 m²



(UNIT):mm

(EXTERIOR Dimensions):

(INTERIOR Dimensions):

MOBILE SOUNDPROOF ROOM-EDUCATION SERIES







Product model

-2L Meeting Booth (six-eight person)

Booth facilities

- *100-240V/50-60Hz and 12V-USB power supply.
- *Adjustable 3000K-6000k three-color temperature central lighting system.
- *Efficient fresh air system + air filter.
- *Steel fixed foot cup + universal wheel.

Furniture option

- 1600w x 600d x 750h table*1
- 1850w x 550d x 700h fabric sofa*2

Demensions

EXTERIOR: 2200w x 2100d x 2348.5h
INTERIOR: 2070w x 2056d x 2128h
SPACE: 9.06CBM

PACKAGED: 2350w x 1300d x 1700h
GW: 750kg NW: 580kg
INTERIOR: 4.62 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-L1 Meeting Booth (four-six person)

Booth facilities

*100-240V/50-60Hz and 12V-USB power supply.

*Adjustable 3000K-6000k three-color temperature central lighting system.

*Efficient fresh air system + air filter.

*Steel fixed foot cup + universal wheel.

Furniture option

600w x 900d x 750h table*1

1380w x 600d x 750h fabric sofa*2

Dimensions

EXTERIOR: 2200w x 1500d x 2348.5h

INTERIOR: 2070w x 1456d x 2128h

SPACE: 6.41 CBM

PACKAGED: 2350w x 1700d x 1500h

GW: 670kg NW: 520kg

INTERIOR: 3.3 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-M3 Learning Room(two person)

Booth facilities

*100-240V/50-60Hz and 12V-USB power supply.

*Adjustable 3000K-6000k three-color temperature central lighting system.

*Efficient fresh air system + air filter.

*Steel fixed foot cup + universal wheel.

Furniture option

1225w x 450d x 15h inclined table*1

Nordic style cloth stool*2

Dimensions

EXTERIOR: 1500w x 1250d x 2348.5h

INTERIOR: 1370w x 1206d x 2128h

SPACE: 3.52 CBM

PACKAGED: 2300w x 1200d x 1450h

GW: 470kg NW: 380kg

INTERIOR: 1.86 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-M1 Learning Booth

Booth facilities

- *100-240V/50-60Hz and 12V-USB power supply.
- *Adjustable 3000K-6000k three-color temperature central lighting system.
- *Efficient fresh air system + air filter.
- *Steel fixed foot cup + universal wheel.

Furniture option

1370w x 400d x 15h wall hanging table*1
Nordic style office chair*1

Dimensions

EXTERIOR: 1500w x 1250d x 2348.5h
INTERIOR: 1370w x 1206d x 2128h
SPACE: 3.52 CBM

PACKAGED: 2300w x 1200d x 1450h
GW: 470kg NW: 380kg
INTERIOR: 1.86 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-S1 Reading Booth

Booth facilities

*100-240V/50-60Hz and 12V-USB power supply.

*Adjustable 3000K-6000k three-color temperature central lighting system.

*Efficient fresh air system + air filter.

*Steel fixed foot cup

Furniture option

600w x 300d x 15h wall hanging table*1

Adjustable high chair*1

Demensions

EXTERIOR: 1000w x 900d x 2348.5h

INTERIOR: 870w x 866d x 2128h

SPACE: 1.60 CBM

PACKAGED: 2230w x 850d x 1200h

GW: 300kg NW: 255kg

INTERIOR: 0.9 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission

MOBILE SOUNDPROOF ROOM-BUSINESS SERIES







Product model

-S1 Office Booth

Booth facilities

*100-240V/50-60Hz and 12V-USB power supply.

*Adjustable 3000K-6000k three-color temperature central lighting system.

*Efficient fresh air system + air filter.

*Steel fixed foot cup

Furniture option

750w x 320d x 15h wall hanging table*1

Adjustable high chair*1

Dimensions

EXTERIOR: 1000w x 900d x 2348.5h

INTERIOR: 870w x 866d x 2128h

SPACE: 1.60 CBM

PACKAGED: 2230w x 850d x 1200h

GW: 300kg NW: 255kg

INTERIOR: 0.9 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation




阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-S1 Phone Booth

Booth facilities

- *100-240V/50-60Hz and 12V-USB power supply.
- *6000K three-color temperature central lighting system.
- *Efficient fresh air system + air filter.
- *Steel fixed foot cup

Furniture option

600w x 200d wall hanging table*1
Chair*1

Dimensions

EXTERIOR: 1000w x 900d x 2348.5h
INTERIOR: 870w x 866d x 2128h
SPACE: 1.60 CBM

PACKAGED: 2230w x 850d x 1200h
GW: 300kg NW: 255kg
INTERIOR: 0.9 Square meter



Product model

-M1 Office Booth(one person)

Booth facilities

- *100-240V/50-60Hz and 12V-USB power supply.
- *Adjustable 3000K-6000k three-color temperature central lighting system.
- *Efficient fresh air system + air filter.
- *Steel fixed foot cup + universal wheel.

Furniture option

1000w x 320d x 15h wall hanging table*1
Nordic style office chair*1

Dimensions

EXTERIOR: 1500w x 1250d x 2348.5h
INTERIOR: 1370w x 1206d x 2128h
SPACE: 3.52 CBM

PACKAGED: 2300w x 1200d x 1450h
GW: 470kg NW: 380kg
INTERIOR: 1.86 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-M2 Meeting booth (two person)

Booth facilities

- *100-240V/50-60Hz and 12V-USB power supply.
- *Adjustable 3000K-6000k three-color temperature central lighting system.
- *Efficient fresh air system + air filter.
- *Steel fixed foot cup + universal wheel.

Furniture option

1365w x 350d x 30h bar-table*1
Chair*2

Dimensions

EXTERIOR: 1500w x 1250d x 2348.5h	PACKAGED: 2300w x 1200d x 1450h
INTERIOR: 1370w x 1206d x 2128h	GW: 470kg NW: 380kg
SPACE: 3.52 CBM	INTERIOR: 1.86 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-M3 Meeting Booth(two person)

Booth facilities

*100-240V/50-60Hz and 12V-USB power supply.

*Adjustable 3000K-6000k three-color temperature central lighting system.

*Efficient fresh air system + air filter.

*Steel fixed foot cup + universal wheel.

Furniture option

750w x 300d x 750h foldable table*1

Nordic style cloth bench*2

Dimensions

EXTERIOR: 1500w x 1250d x 2348.5h

INTERIOR: 1370w x 1206d x 2128h

SPACE: 3.52 CBM

PACKAGED: 2300w x 1200d x 1450h

GW: 470kg NW: 380kg

INTERIOR: 1.86 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-2M-Meet Booth(three person)

Booth facilities

- *100-240V/50-60Hz and 12V-USB power supply.
- *6000K three-color temperature central lighting system.
- *Efficient fresh air system + air filter.
- *Steel fixed foot cup + universal wheel.

Furniture option

700w x 565d x 1000h table*1
Nordic style leather retractable chair*3

Dimensions

EXTERIOR: 1500w x 1800d x 2348.5h
INTERIOR: 1372w x 1756d x 2128h
SPACE: 5.12 CBM

PACKAGED: 1700w x 2000d x 2460h
GW: 550kg NW: 490kg
INTERIOR: 2.70 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-2M OFFICE Booth(two person)

Booth facilities

- *100-240V/50-60Hz and 12V-USB power supply.
- *6000K three-color temperature central lighting system.
- *Efficient fresh air system + air filter.
- *Steel fixed foot cup + universal wheel.

Furniture option

1350+1650w x 350d x 30h table*1
Nordic style fabric retractable chair*2

Dimensions

EXTERIOR: 1500w x 1800d x 2348.5h
INTERIOR: 1372w x 1756d x 2128h
SPACE: 5.12 CBM

PACKAGED: 1700w x 2000d x 2460h
GW: 550kg NW: 490kg
INTERIOR: 2.70 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-SL- Office Booth

Booth facilities

- *100-240V/50-60Hz and 12V-USB power supply.
- *6000K three-color temperature central lighting system.
- *Efficient fresh air system + air filter.
- *Steel fixed foot cup + universal wheel.

Furniture option

R*250 x 200h table*1
Fabric pouf*3

Dimensions

EXTERIOR: 1800w x 1500d x 2348.5h
INTERIOR: 1670w x 1456d x 2128h
SPACE: 5.17 CBM

PACKAGED: 2000w x 1650d x 2460h
GW: 550kg NW: 490kg
INTERIOR: 2.70 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-SL- Office Booth(one person)

Booth facilities

- *100-240V/50-60Hz and 12V-USB power supply.
- *6000K three-color temperature central lighting system.
- *Efficient fresh air system + air filter.
- *Steel fixed foot cup + universal wheel.

Furniture option

1375w x 450d x 750h table (with cabinet) *1
Nordic style office chair*1

Dimensions

EXTERIOR: 1800w x 1500d x 2348.5h PACKAGED: 2000w x 1650d x 2460h
INTERIOR: 1670w x 1456d x 2128h GW: 550kg NW: 490kg
SPACE: 5.17 CBM INTERIOR: 2.70 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-L1 Meeting booth (two-three person)

Booth facilities

*100-240V/50-60Hz and 12V-USB power supply.

*Adjustable 3000K-6000k three-color temperature central lighting system.

*Efficient fresh air system + air filter.

*Steel fixed foot cup + universal wheel.

Furniture option

2065w x 350d x 15h table*1

Chair*2

Dimensions

EXTERIOR: 2200w x 1500d x 2348.5h

INTERIOR: 2070w x 1456d x 2128h

SPACE: 6.41 CBM

PACKAGED: 2350w x 1700d x 1500h

GW: 670kg NW: 520kg

INTERIOR: 3.3 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-L1 Meeting booth (four-six person)

Booth facilities

*100-240V/50-60Hz and 12V-USB power supply.

*Adjustable 3000K-6000k three-color temperature central lighting system.

*Efficient fresh air system + air filter.

*Steel fixed foot cup + universal wheel.

Furniture option

900w x 600d x 750h bar-table*1

1380w x 600d x 650h fabric sofa*2

Dimensions

EXTERIOR: 2200w x 1500d x 2348.5h

INTERIOR: 2070w x 1456d x 2128h

SPACE: 6.41 CBM

PACKAGED: 2350w x 1700d x 1500h

GW: 670kg NW: 520kg

INTERIOR: 3.3 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-2L-1 Meeting booth (six-eihgt person)

Booth facilities

*100-240V/50-60Hz and 12V-USB power supply.

*Adjustable 3000K-6000k three-color temperature central lighting system.

*Efficient fresh air system + air filter.

*Steel fixed foot cup + universal wheel.

Furniture option

1600w x 600d x750h table*1

1850w x 550d x 700h fabric sofa*2

Dimensions

EXTERIOR: 2200w x 2100d x 2348.5h

INTERIOR: 2070w x 2056d x 2128h

SPACE: 9.05 CBM

PACKAGED: 2350w x 1300d x 1700h

GW: 750kg NW: 580kg

INTERIOR: 4.62 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-2L-2 Meeting booth (six person)

Booth facilities

- *100-240V/50-60Hz and 12V-USB power supply.
- *Adjustable 3000K-6000k three-color temperature central lighting system.
- *Efficient fresh air system + air filter.
- *Steel fixed foot cup + universal wheel.

Furniture option

450w x 350d x750h table*2
Assemble sofa*1

Dimensions

EXTERIOR: 2200w x 2100d x 2348.5h
INTERIOR: 2070w x 2056d x 2128h
SPACE: 9.05 CBM

PACKAGED: 2350w x 1300d x 1700h
GW: 750kg NW: 580kg
INTERIOR: 4.62 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-3L- Meeting booth (five person)

Booth facilities

- *100-240V/50-60Hz and 12V-USB power supply.
- *6000K three-color temperature central lighting system.
- *Efficient fresh air system + air filter.
- *Steel fixed foot cup + universal wheel.

Furniture option

1480w x 1750d x 900h table*2
Adjustable high chair*5

Dimensions

EXTERIOR: 2200w x 2100d x 2348.5h
INTERIOR: 2872w x 2013d x 2128h
SPACE: 15.65 CBM

PACKAGED: 2350w x 1300d x 1700h
GW: 880kg NW: 700kg
INTERIOR: 6.30 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission

MOBILE SOUNDPROOF ROOM-VOCAL SERIES







Product model

-2LDrum Booth

Booth facilities

- *100-240V/50-60Hz and 12V-USB power supply.
- *Adjustable 3000K-6000k three-color temperature central lighting system.
- *Efficient fresh air system + air filter.
- *Steel fixed foot cup + universal wheel.

Furniture option

Enhanced sound insulation
350w x 350d x750h small seat*1

Dimensions

EXTERIOR: 2200w x 2100d x 2300h
INTERIOR: 2070w x 2056d x 2128h
SPACE: 9.05 CBM

PACKAGED: 2350w x 1300d x 1700h
GW: 750kg NW: 580kg
INTERIOR: 4.62 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-L1 Piano Booth

Booth facilities

- *100-240V/50-60Hz and 12V-USB power supply.
- *Adjustable 3000K-6000k three-color temperature central lighting system.
- *Efficient fresh air system + air filter.
- *Steel fixed foot cup + universal wheel.

Furniture option

Enhanced sound insulation
1200w x 350d x 450h bench*1

Dimensions

EXTERIOR: 2200w x 1500d x 2348.5h
INTERIOR: 2070w x 1456d x 2128h
SPACE: 6.41 CBM

PACKAGED: 2350w x 1700d x 1500h
GW: 670kg NW: 520kg
INTERIOR: 3.3 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-M1 Pipe Booth

Booth facilities

- *100-240V/50-60Hz and 12V-USB power supply.
- *Adjustable 3000K-6000k three-color temperature central lighting system.
- *Efficient fresh air system + air filter.
- *Steel fixed foot cup + universal wheel.

Furniture option

Enhanced sound insulation
1000w x 320d x 15h wall hanging table*1

Dimensions

EXTERIOR: 1500w x 1250d x 2348.5h
INTERIOR: 1370w x 1206d x 2128h
SPACE: 3.52 CBM

PACKAGED: 2300w x 1200d x 1450h
GW: 470kg NW: 380kg
INTERIOR: 1.86 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-S1 Bel Canto Practice Booth

Booth facilities

- *100-240V/50-60Hz and 12V-USB power supply.
- *Adjustable 3000K-6000k three-color temperature central lighting system.
- *Efficient fresh air system + air filter.
- *Steel fixed foot cup

Furniture option

Enhanced sound insulation
750w x 280d x 15h wall hanging table*1

Dimensions

EXTERIOR: 1000w x 900d x 2348.5h
INTERIOR: 870w x 866d x 2128h
SPACE: 1.60 CBM

PACKAGED: 2230w x 850d x 1200h
GW: 300kg NW: 255kg
INTERIOR: 0.9 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission

MOBILE SOUNDPROOF ROOM-MULTIMEDIA SERIES







Product model

-M1 Live Booth

Booth facilities

- *100-240V/50-60Hz and 12V-USB power supply.
- *Adjustable 3000K-6000k three-color temperature central lighting system.
- *Efficient fresh air system + air filter.
- *Steel fixed foot cup + universal wheel.

Furniture option

Enhanced sound insulation
1000w x 320d x 15h wall hanging table*1

Dimensions

EXTERIOR: 1500w x 1250d x 2300h
INTERIOR: 1370w x 1206d x 2128h
SPACE: 3.52CBM

PACKAGED: 2300w x 1200d x 1450h
GW: 470kg NW: 380kg
INTERIOR: 1.86 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-L1 Radio Booth

Booth facilities

- *100-240V/50-60Hz and 12V-USB power supply.
- *Adjustable 3000K-6000k three-color temperature central lighting system.
- *Efficient fresh air system + air filter.
- *Steel fixed foot cup + universal wheel.

Furniture option

Enhanced sound insulation
Nordic style office chair*1

Dimensions

EXTERIOR: 2200w x 1500d x 2348.5h
INTERIOR: 2070w x 1456d x 2128h
SPACE: 6.41 CBM

PACKAGED: 2350w x 1700d x 1500h
GW: 670kg NW: 520kg
INTERIOR: 3.3 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-2LRecording Studio Booth(two person)

Booth facilities

- *100-240V/50-60Hz and 12V-USB power supply.
- *Adjustable 3000K-6000k three-color temperature central lighting system.
- *Efficient fresh air system + air filter.
- *Steel fixed foot cup + universal wheel.

Furniture option

Enhanced sound insulation
Chair*2

Dimensions

EXTERIOR: 2200w x 2100d x 2348.5h
INTERIOR: 2070w x 2056d x 2128h
SPACE: 9.06 CBM

PACKAGED: 2350w x 1300d x 1700h
GW: 750kg NWE: 580kg
INTERIOR: 4.62 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria



环保
Zero emission



Product model

-2L Monitoring Booth

Booth facilities

- *100-240V/50-60Hz and 12V-USB power supply.
- *Adjustable 3000K-6000k three-color temperature central lighting system.
- *Efficient fresh air system + air filter.
- *Steel fixed foot cup + universal wheel.

Furniture option

1200 w x 600d x 800h table*1
Chair*1

Dimensions

EXTERIOR: 2200w x 2100d x 2348.5h
INTERIOR: 2070w x 2056d x 2128h
SPACE: 9.06 CBM

PACKAGED: 2350w x 1300d x 1700h
GW: 750kg NW: 580kg
INTERIOR: 4.62 Square meter



隔音&吸音
Sound insulation&absortion



新风
Ventilation



阻燃
Fireproof



抗菌
Anti-bacteria




环保
Zero emission

APPLICATION SCENE-LIVE

BRADAGH  INTERIORS




APPLICATION SCENE-WORK



APPLICATION SCENE-MEETING



APPLICATION SCENE



THANK YOU



Unit 6, 414a Ballyquin Road, Dungiven, Northern Ireland, UK, BT47 4NQ

www.bradagh.co.uk hello@bradagh.co.uk +44(0) 28 7727 8902